

Overview

3D Procedure Animation Library

Learn about various procedures in a informative multimedia experience that includes narration and beautiful 3D animations. ...learn more

Face Lift

Age, talking, laughing, years of sun exposure, etc. take a toll on your face. These cause lax skin, creases, drooping, and wrinkles making you look tired and also give a negative appearance of anger and worry. The plastic surgeon will evaluate your skin, muscles, and bone structure of your face as well as your general health to determine the appropriate treatment options. He will also consider your concerns and choose or suggest various other procedures. ...learn more

Eyelid Surgery

Eyelid surgery (blepharoplasty) is designed to remove excess skin and fat from the upper and lower eyelids giving you a more youthful, "awake" look. The procedure can correct drooping upper lids that tend to sag with time and the puffy bags below the eyes. Sutures are generally removed after three or four days. Any bruising may be easily covered by makeup. Blepharoplasty can be done as a separate procedure, or in conjunction with other facial surgery such as a facelift or a browlift. ...learn more

Brow Lift

The forehead and brow are amongst the most expressive parts of the face. The position of your brow can signify happiness or stress. Unfortunately as we age, we get wrinkles in the forehead as well as in the lower brow area making us look tired and sometimes angry. ...learn more

Nose Surgery / Rhinoplasty

Surgery to reshape the nose, (rhinoplasty) is among the most common plastic surgery procedures. This procedure can reduce or increase the size the nose, remove an unwanted hump, change the shape of the tip or the bridge, narrow the width of the nostrils, or change the angle between the nose and the upper lip. The procedure is also used to correct problems resulting from injury and can help relieve certain breathing difficulties. ...learn more

Chin and Cheek Augmentation

Chin surgery can change the shape of the chin to reduce a prominent chin or to extend the chin from the face. The contour of the chin can be reshaped to be smoother, or more angular in appearance. This is done by placing a chin implant through the mouth or through a small scar under the chin. Similarly, cheeks can also be enhanced with implants placed through the mouth to help accentuate your cheekbones. Arrange a consultation with your Plastic Surgeon to see if facial implants are right for you. ...learn more

Fraxel

Fraxel treatment is a safe, non-invasive procedure that allows you to rediscover the fresh, healthy skin of your youth. This "fractional" treatment produces thousands of deep, tiny columns in your skin, called microscopic treatment zones. FLT is "fractional" in that it intensively treats old epidermal pigment cells without affecting any of the surrounding tissue, which reduces healing time and promotes the skin's natural process for creating new, healthier tissue to replace the damaged cells. ...learn more

Lip Augmentation

Lip augmentation creates fuller, plumper lips and reduces fine wrinkles around the mouth. Lips may be injected with injectable fillers such as Juvederm or Restylane or with fat transferred from another part of your body. However, both fillers and fat are absorbed over time and therefore repeat treatments may be necessary to maintain results. ...learn more

Hair Transplant

What You Should Know and Why: When it comes to hair loss, heredity is the primary cause. Heredity loss or patterned hair loss occurs in both men and women regardless of popular misconceptions. Medical science now reports that baldness genes are passed down from both sides of the family. Generations can be skipped and random in terms of which siblings are affected by hair loss. Depending on the severity of hair loss the impact on the individual is both unique and personal. ...learn more